


03500.016245



PATENT

*Cofc*  
*/5*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: S. Krishnan
JUNJI KAWASAKI	)	
	:	Group Art Unit: 2879
Appl. No.: 10/086,562	)	
	:	
Filed: March 4, 2002	)	
	:	
For: METHOD OF FABRICATING	)	
ELECTRON SOURCE	:	
SUBSTRATE AND IMAGE	)	
FORMING APPARATUS	:	
	)	
	:	
U.S. Patent No.: US 6,837,768 B2	)	
	:	
Issued: January 4, 2005	)	August 16, 2006

**Certificate**  
**AUG 22 2006**  
**of Correction**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.


01/10/2006 09:00:00 00000110 6987760  
20 07/10/06 10:00:00

10/10/06

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

  
\_\_\_\_\_  
Frank A. DeLucia  
Attorney for Patentee  
Registration No. 42,476

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200  
NY\_MAIN 540181v1

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,837,768 B2

DATED : JANUARY 4, 2005

INVENTOR(S) : JUNJI KAWASAKI

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 41, "and" should read --and/or--.

COLUMN 2

Line 41, "all" should read --an--;

Line 58, "tho" should read --the--; and

Line 63, "front" should read --from--.

COLUMN 3

Line 29, "cross" should read --cross---;

Line 31, "cross section" should read --cross-section--;

Line 38, "air" should read --an--;

Line 40, "cross sectional" should read --cross-sectional--; and

Line 41, "plan" should read --plane--.

COLUMN 4

Line 52, "scaling" should read --sealing--.

COLUMN 5

Line 13, "cross sectional" should read --cross-sectional--;

Line 27, "Used." should read --used.--;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,837,768 B2

No. of add'l. copies  
@ 30¢ per page

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,837,768 B2

DATED : JANUARY 4, 2005

INVENTOR(S) : JUNJI KAWASAKI

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 6

Line 61, "described" should read --ascribed--; and

Line 65, "no" should read --not--.

COLUMN 7

Line 9, "a oil" should read --an oil--;

Line 11, "nay" should read --may--;

Line 15, "basing" should read --based--;

Line 16, "arid" should read --and--;

Line 27, "acetonitrile" should read --, and acetonitrile,--;

Line 36, "I<sub>n</sub>." should read --I<sub>e</sub>--; and

Line 43, "arid" should read --and--.

COLUMN 8

Line 41, "Electrostatic" should read --electrostatic--;

Line 50, "stick" should read --fix--; and

Line 53, "once to" should read --onto--.

COLUMN 9

Line 2, "be, used" should read --be used--;

Line 5, "groove 211," should read --groove 211.--;

Line 7, "that" should read --in which-- and "substrate," should read --substrate--;

Line 34, "evaporate" should read --evaporated-- and "may be, mixed" should read --may be mixed--; and

Line 51, "sheave," should read --sieve,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,837,768 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,837,768 B2

DATED : JANUARY 4, 2005

INVENTOR(S) : JUNJI KAWASAKI

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 10

Line 13, "scaling" should read --sealing--.

COLUMN 11

Line 2, "results in leak" should read --result in leaks--;

Line 23, "invention," should read --invention--;

Line 36, "dumped" should read --discarded--; and

Line 39, "substrate," should read --substrate--.

COLUMN 12

Line 15, "from" should read --form--; and

Line 58, "hPa" should read --kPa-- and "increase," should read --increase--.

COLUMN 13

Line 4, "Lines" should read --lines--;

Line 14, "driver," should read --driver--;

Line 17, "reaches" should read --reached--;

Line 20, "were" should read --was--;

Line 31, "the," should read --the--;

Line 52, "cross sectional" should read --cross-sectional-- and "a" should read --an--;

and


Line 58, "n" should read --a--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,837,768 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,837,768 B2

DATED : JANUARY 4, 2005

INVENTOR(S) : JUNJI KAWASAKI

Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 14

Line 27, "the," should read --the--;  
Line 30, "wars" should read --was--;  
Line 33, "frame," should read --frame--;  
Line 45, "attached" should read --that attached--;  
Line 46, "formed," should read --formed.--; and  
Line 55, "visa" should read --via--.

COLUMN 15

Line 8, "firm" should read --film--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,837,768 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,837,768 B2

DATED : JANUARY 4, 2005

INVENTOR(S) : JUNJI KAWASAKI

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 41, "and" should read --and/or--.

COLUMN 2

Line 41, "all" should read --an--;  
Line 58, "tho" should read --the--; and  
Line 63, "front" should read --from--.

COLUMN 3

Line 29, "cross" should read --cross---;  
Line 31, "cross section" should read --cross-section--;  
Line 38, "air" should read --an--;  
Line 40, "cross sectional" should read --cross-sectional--; and  
Line 41, "plan" should read --plane--.

COLUMN 4

Line 52, "scaling" should read --sealing--.

COLUMN 5


Line 13, "cross sectional" should read --cross-sectional--;  
Line 27, "Used." should read --used.--;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,837,768 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,837,768 B2  
DATED : JANUARY 4, 2005  
INVENTOR(S) : JUNJI KAWASAKI

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 6

Line 61, "described" should read --ascribed--; and  
Line 65, "no" should read --not--.

COLUMN 7

Line 9, "a oil" should read --an oil--;  
Line 11, "nay" should read --may--;  
Line 15, "basing" should read --based--;  
Line 16, "arid" should read --and--;  
Line 27, "acetonitrile" should read --, and acetonitrile,--;  
Line 36, "I<sub>n</sub>." should read --I<sub>e</sub>.--; and  
Line 43, "arid" should read --and--.

COLUMN 8

Line 41, "Electrostatic" should read --electrostatic--;  
Line 50, "stick" should read --fix--; and  
Line 53, "once to" should read --onto--.

COLUMN 9

Line 2, "be, used" should read --be used--;  
Line 5, "groove 211," should read --groove 211.--;  
Line 7, "that" should read --in which-- and "substrate," should read --substrate--;  
Line 34, "evaporate" should read --evaporated-- and "may be, mixed" should read --may be mixed--; and  
Line 51, "sheave," should read --sieve,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,837,768 B2

No. of add'l. copies  
@ 30¢ per page





Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,837,768 B2  
DATED : JANUARY 4, 2005  
INVENTOR(S) : JUNJI KAWASAKI

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 10

Line 13, "scaling" should read --sealing--.

COLUMN 11

Line 2, "results in leak" should read --result in leaks--;  
Line 23, "invention," should read --invention--;  
Line 36, "dumped" should read --discarded.--; and  
Line 39, "substrate," should read --substrate--.

COLUMN 12

Line 15, "from" should read --form--; and  
Line 58, "hPa" should read --kPa-- and "increase," should read --increase--.

COLUMN 13


Line 4, "Lines" should read --lines--;  
Line 14, "driver," should read --driver--;  
Line 17, "reaches" should read --reached--;  
Line 20, "were" should read --was--;  
Line 31, "the," should read --the--;  
Line 52, "cross sectional" should read --cross-sectional-- and "a" should read --an--;  
and  
Line 58, "n" should read --a--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,837,768 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,837,768 B2  
DATED : JANUARY 4, 2005  
INVENTOR(S) : JUNJI KAWASAKI

Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 14

Line 27, "the," should read --the--;  
Line 30, "wars" should read --was--;  
Line 33, "frame," should read --frame--;  
Line 45, "attached" should read --that attached--;  
Line 46, "formed," should read --formed.--; and  
Line 55, "visa" should read --via--.

COLUMN 15

Line 8, "firm" should read --film--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,837,768 B2

No. of add'l. copies  
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

NY\_MAIN 540181v1

